


ADE BACKUP UTILITY

Introduction

This is a very simple tool designed to create a backup zip for a user folder. It is not specific to ADE in that it can archive any folder. It is capable of creating multiple dated backups for any given folder. Backup and archive are used interchangeably in this document.

Install/Uninstall

Copy the contents of the zip file into a new location. To uninstall just delete the folder. Bear in mind that the archives (backup files) are stored with this program so they will be deleted as well




Source


Lists all folders that have backups. Selecting an entry in Source will display the associated backups. These are listed in date order with the most recent at the bottom.

New

Creates an archive for a folder not already listed Displays a simple selector dialog



Selecting a folder will open the Backup property dialog



The top two fields are read only and show the source and archive (backup) name. You can enter a short comment which may help to identify the backup and will be displayed when it is selected. Click OK to begin the backup process. This may take some time and a non determinate progress bar will show the program is active. A message will be displayed when the job is completed

Backup


Select an existing source and click backup to create a new archive. The same can be achieved by double clicking a source in the source list.

Delete

This will delete the selected source from the program and all backup archives. Be sure you want don't need them before calling delete

Backup

Lists the backups created for a given source in date order with newest first. Select a backup file to restore it. Selecting a file will show the Comment at the bottom of the main windoe



Restore

Click this to restore the source folder to the state it was in when this backup was created. Note that the program will first delete the source folder. This means that you will get back what is in the archive and not some combination of the archive with changes created since the archive.

This process will take some time and the progress bar will display that the program is working

Delete

This will delete the selected archive. There is no undo for delete